FILE NOTATIONS  Entered in N1D File	Checked by Chief
Entered On S.R. Sheet	Copy N1D to Field Office
Location Map Pinned	Approval Letter
Card Indexed	Disapproval Letter
I W R for State or Fee Land	선생님, 요간이 또 한 없는데 다음을 하였다.
COMPLETION DATA:	
Date Well Completed 4-10-42	Location Inspected
OW WW TA GW OS PA	Bond released State of Fee Land
그는 그는 그는 그들은 그는 그는 그는 그는 그는 그는 그는 그를 보고 있다.	FILED
Driller's Log 7-12-62	
Electric Logs [No. ]	) 등 하고 있는데 이 점점, 성급, 기계속 나는다.
E E E !	GR GR-N Micro
O Lat Mi-L So	nic Others

LWP 5-14-92

For (1	<b>m 9-</b> Feb. 1	<b>-831 a</b> 951)		
			x	T
		į		8
	<b></b>		 	

#### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office Salt Lake	
No. U-02510	
Unit White River	

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE F NOTICE OF INTENTION TO TEST WAT NOTICE OF INTENTION TO RE-DRILL NOTICE OF INTENTION TO SHOOT OF	PLANS SUBSEQ TER SHUT-OFF SUBSEQ OR REPAIR WELL SUBSEQ	UENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO SHOOT OF NOTICE OF INTENTION TO ABANDON	ALTER CASING SUPPLE	MENTARY WELL HISTORY
	TE ABOVE BY CHECK MARK NATURE OF R	Vernal, Utah 2-28- ,
White River Unit Well No. 10 is local	ted660ft. from [N] line	Vernal, Utah 2-28-, and 1000 ft. from $\{E\}$ line of sec.
White River Unit Well No. 10 is loca		Vernal, Utah 2-28- ,
White River Unit Well No. 10 is local Sec. 4  15 1 NE 1 (14 Sec. and Sec. No.) White River Unit	ted 660 ft. from N line  8 5 22 E  (Twp.) (Range)	Vernal, Utah 2-28-, and 1000 ft. from $\{E\}$ line of sec.  SLBM (Meridian)
White River Unit Well No. 10 is local Sec. 4  E 1 NE 1 (24 Sec. and Sec. No.) White River Unit  Fre Week 1 1 che Kelly	ted 660 ft. from N line  8 S 22 E  (Twp.) (Range)  Uintah  (County or Subdivision)  Bushing Change sea level is 502	vernal, Utah  2-28-  and 1000 ft. from   SI.BM  (Meridian)  Utah  (State or Territory)  5 ft. est.
White River Unit Well No. 10 is local Sec. 4  E 1 NE 1 (4 Sec. and Sec. No.) White River Unit For Wife (Field) The elevation of the Exercise	ted 660 ft. from N line  8 S 22 E (Twp.) (Range)  Uintah (County or Subdivision)  Bushing chook above sea level is 502  DETAILS OF W	vernal, Utah  2-28-  and 1000 ft. from   SI.BM  (Meridian)  Utah  (State or Territory)  5 ft. est.

Top Green River - 2541' "H" Point "K" Point

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company California Oil Company, Western Division, Designated Agent

	For well by Belco P. O. Box 455	Petroleum	Corp.,		
***************************************	Vernal, Utah			By	PATTERSON
					Superintendent

LAND OFFICE .. LEASE NUMBER ....

### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

# LESSEE'S MONTHLY REPORT OF OPERATIONS

	tate T	<b>"h</b> e	follo	wing	is a	correct	unty <b>Th</b>	operatio	Fiel processing from the field processing fr		ise Mive	rilling and producing
				mon! 288		1	e. O. Box	<b>M</b>	Sign	npany ned nt's title .	Field S	PARTITION and by
=	SEC. A	ND	T'WP.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	T	Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
IV.	<u>.</u> 4		88	22 K	6	31	7,030	26	3,149		1.84	5582 MCP gas prod. Doc., Jam. & Pob. not included on previous reports.
×	K (	<b>I</b>	රිෂ	225	8	1			ing operation	TCMS		Recovering load of
1 38	98	4			Come	11100					Plugs:	5 <b>977</b> °
				ing:	10- 7"	- h. #	3-55 cmt4	st 60	08' (400 s		ke)	at 5598'.
			Act Act Ado and 9,6	dise #5 or mite bro 100#	a Range to A A A A A A A A A A A A A A A A A A	i dell i prob ining ve rei con. O pend Pen	Bervice : dom. 1 1,000 M 25 BPM : Braden her and 0.1 173 jts 2	14 3-4 broden 3-10 se 4/1000 ad free -1/2"	head fract ad, 900¢ 1 psi. Abre ad down T lemite. Fr	esijeted d down 7 g 16 alu sijeted ' esg w/1 mp seree	cosing minm point holes in 150 galance out.	with 15,000 gal lists and 0.14/gal at 5566'. Acidised 1 MF #5 centaining Avg rate 9 MPM rig 3-86-68.
		•	Si Del Ca		95	0 41510 3/4",		55 cmt	d at 227'	(179 sec	Plugs:	Hone
			16	ved	D A	Condu	gred e rig. %	nided noks	3-14-62. Drld 9" b	Drilled	15 hole	to 232'. Committed bugger coring.



Note.—There were \_\_\_\_\_\_\_ Mou. ft. of g runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

13

Budget Bureau No. 42-R356.5. Approval expires 12-31-60.

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LAND OFFICE	The CITY
LEASE NUMBER	\$780 78 78 7 77 7 <b>786</b> 86 86 66 6
UNIT	MILES MINEL

# LESSEE'S MONTHLY REPORT OF OPERATIONS

	Th	. f. 1				ounty	Uintah	Fi	eld	White Riv	at carte
	77	e jou	lowing	g is a	a correc	et report o	f operati	ions and pr	oduction (	including	drilling and produc
	us) j	or th	e moi	$ith o_{i}$	<i>f</i>	WELTT		, 19 <b>62</b> ,	Ca.	itrocate i	Oil Co., Western
•10	ent s	addi	· ess			. O. Box ermal, Ut			mpany	Los Pet.	May. Galt Grava
Ph	one_					ermal 200			ined		PARTITION Signed
				=======================================	1 1			Ag	ent's title	Mela	
	OF L	TWP.	RANGE	WELL No.	Dars Producad	BARRELS OF OT	L GRAVITY	Cu. Fr. or Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, ca
W	4	88	22E	6	30	6,330	26	2,940	-	196	content of gas)
NE	4	88	22E	8	30	2,047	26	649			•
						2,041		Oty	-	333	
			İ				PIL	ING CPERAS	TORS.		
AR	4	88	22X	10							
	L										
	7.7				tions						
		Dept. Dasi	ì	10-3	/h " ),					Pluge: 7	925-5425'
					, ,	0.5 <del>8</del> , J	7) <b>ame</b> 4	• mil. (7	79 sex)	2	750-2650'
	C			_		_				!	3 <b>25-126'</b>
		APEST	ition	a Coi	nduota	ad.			İ	1	
			ore		5565-		11	nokima wie			
	t	2ut (	ore	AT (	5565-5 n Schl	6DB) 5' (	IRS and	etive vit	a 90 md	d m m = 1	illed 9" hole
	t	art 2055 San	ore 50'.	A (	5565-5 n Schl	618) 5' ( umberger is and Mic	IIS and	Mero lo	gs. Bri	lled 9" h	ale to 6248'.
	1 1 1 1	at o 5 an pen	ore 50' chlu	Pl ( Resident President	5565-5 n Schl ger II blow		IIS and	Maro lo	a 92 mi gs. Bri (5675-5	d m m = 1	ole to 6248'. min test. Tool
		at 20 5 an pen bec	ore 50'. chlud d v/	Pl Ru where weak Ll,	5565-5 n Schl ger III blow 876' m	618) 5' ( wherear is and Mic iner to a ud and wa	trong	Maro lo	gs. Bri (5675-5	lled 9" h	ale to 6248'. min test. Tool steady. NOTE.
		at o 5 on pen bec 7-3	bre  50'.  chlust  d w/  0' o	Al its short the same of the s	5565-5 n Schl ger III blow 876' m	618) 5' ( unberger is and Mic iner to a ud and we FE-2778.	trong later. I	Mero lo Der fi Nev in l Pressures:	gs. Bri (5675-5 nin and	lled 9" h	ole to 6248'. min test. Tool
		o 5 an pen bec 7-3	ore 50'. Schlus d w/ 0' o 5, I	Markett, SIA-	5565-5 n Schl ger III blow 876' m 1975, ined &	618) 5' ( umberger is and Mic iner to a ud and we FR-2778. sad. Rec	rologi trong l ter. I	l Mero lo Lov in l Presures:	gs. Bri (5675-5 nin and IS-861	lled 9" h	ale to 6248'. min test. Tool steady. NOTE.
		o 5 ban pen bec T-3 bad T-0	ore 50'. schlu d w/ 0' o 5, P	Resident Sir-	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15	GLB) 5' ( unberger is and Mic iner to a Md and we FH-2778. end. Rec BO, FH-27	trong liter. I ber de 10' es	Mero lo DEF #1 Lov in 1 Pressures: (5616-56 and. Pr R #3 (559	gs Bri (5675-5 nin and IN-951 N+) 60 m	led 9" h 606) 90 tmained , INIP-s in test.	ale to 6248'. min test. Tool steady. NOTE.
		At to 5 to 5 to 5 to 5 to 5 to 5 to 5 to	ore 50' schlud w/ 0' o 5, I and II	Manager Manage	5565-5 n Schl ger IS blow 876' m 1975, ined S KIP-15 nd rem	GLB) 5' ( uniberger iS and Mic iner to a ud and wa FR-2/76. sad. Rec SO, FN-2/ ained was	ro legatives in the second sec	Mero lo Der #1 Nov in 1 Pressures: (5616-56 and. Pr Er #3 (558 8. Noc 3	gs. Bri (5675-5 nin and : IH-861 IH-) 60 m Bestree: 5-5596) ( D' mad. )	lod 9" h 606) 90 remained , INIP-S in test. IN-8015, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Sool opened IMIP-1500, DV. Tool opened
	E to Republication of the second seco	Aut o 50 mm mon mon mon mon mon mon mon mon mon	ore 350' schlud w/ 0' o 5, F and FF	Miles Weak SIA- Po, F	5565-5 n Schl ger IS blow 876' m 1975, ined S MIP-15 nd rem	ELB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. end. Rec 20, FH-27 ained wee FSIP-918	TES and trong liver. It ber so to	Mero lo Der #1 Pressures: (5616-56 md. Pr F #3 (558 B. Rec 3	gs. Bri (5675-5 nin and : IH-861 IH-) 60 m Bestree: 5-5596) ( D' mad. )	lod 9" h 606) 90 remained , INIP-S in test. IN-8015, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Sool opened IMIP-1500, DV. Tool opened
	it is a second of the second o	At to 50 tan pender T-31 tan 14-5, 14-5, 14-5, 15-6, 15-6, 16-6, 1	ore 350'. schlud w/ 0' o 5, F and FF	Name of the second seco	5565-5 n Schl ger II blow 876' m 1975, ined & KIP-15 nd res 17-35, vith	ELB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918	TES and trong liver. It is a liver of the li	Mero lo Der #1 Pressures: (5616-56 md. Pr F #3 (558 B. Rec 3	gs. Bri (5675-5 nin and : IH-861 IH-) 60 m Bestree: 5-5596) ( D' mad. )	lod 9" h 606) 90 remained , INIP-S in test. IN-8015, 0 min 21	ale to 6248'. min test. Tool steady. NOTE. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At (20 5) In (20	ore 350'. 30hlu 4 w/ 10' o 5, 2 and F7- k b: 925-	Management of the control of the con	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 nd rem 17-35, vith	ELB) 5' ( uniberger is and Mic incr to a ud and we FH-2778. end. Rec BO, FH-27 ained wee FSIP-918 100 sacks	TES and trong liver. It is a liver of the li	Mero lo Der #1 Pressures: (5616-56 md. Pr F #3 (558 B. Rec 3	gs. Bri (5675-5 nin and : IH-861 IH-) 60 m Bestree: 5-5596) ( D' mad. )	lod 9" h 606) 90 remained , INIP-S in test. IN-8015, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 nd rem 17-35, vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (5675-5 nin and : IH-861 IH-) 60 m Bestree: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. MOTS. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. NOTE. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-2502, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. NOTE. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-250, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. NOTE. 450, 17-90, Tool opened IMIP-1500, TW. Tool opened IMIP-2502, TW. Tool opened
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. MOTH. 450, IF-90, Bool opened IMIP-1500, by. Tool opened IM-2542, IMIP-
	THE DESIGNATION OF THE PARTY OF	At 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50'	Herenanders of the second seco	5565-5 n Schl ger III blow 876' m 1975, ined & SIP-15 od rem 77-35, vith vith	MIB) 5' ( uniberger is and Mic iner to a ud and we FH-2778. sad. Rec BO, FH-27 ained wee FSIP-918 100 sacks 50 sacks c sacks c	TES and trong liver. 10' of 10	Mero lo Der fl Nov in 1 Pressures: (5616-56 med. Pr F f3 (559 M. Rec 3	gs. Bri (9675-5 nin and IN-961 N+) 60 m besures: 5-5596) ( D' mad. )	led 9" h 666) 90 remained , IMIP-s in test. IM-8615, 0 min 21	ale to 6248'. min test. Tool steady. MOTH. 450, IF-90, Bool opened IMIP-1500, by. Tool opened IM-2542, IMIP-

N

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in form 9-329

Form 9-329

anuary 1950) UNGS, M.C-2; 00000, M.C-1; Delco-C: M.G-1; File-1

16-25766-8 U. S. GOVERNMENT PRINTING OFFICE

			Х	
	ļį			
-		-		

FOLD | MARK

1 B.	.d. .au No. 42-R3	55 <b>4</b>		·
Dι	au No. 42–105		Lake	City
U.S.	LAND OFFICE	יבו	510-8	
SERIA	AL NUMBER			
LEAS	E OR PERMIT T	o Prosi	PECT	

# UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Comba	iny	U-02510-	•A		Addres	s Mite R <b>iver</b>			ormal, Uta Jtali
Lessor	or Tract	<b>D)</b>	8s	22E _	Field SIE	M Co. Line of	State	intah	
Well N	0	Sec	T R	Mei	ridian		ounty	<b></b>	51 <b>7</b> 0 -
Locatio	on	ft. $\left\{ \begin{array}{l} \mathbf{N}^{\mathbf{N}} \\ \mathbf{S} \end{array} \right\}$ of $-\frac{\pi}{2}$	Line a	nd ft	$\left\{ \frac{\mathbf{E}}{\mathbf{W}} \right\}$ of	Line of		(Derrick	CLIOIX  floor relative to sea level
$\mathbf{T}$	ne informa	ation given h determined f	erewith is	s a comple vailable rec	te and correctords.	et record of the	well and al PATTERSO	l work ( Cooleal	done thereon
Date	Septem	ber 12, 19	962		SHOU	Title	Field 4	upert	tergent
					on of the wel	l at above date.			
Comm	enced dril	ling	ch 14	19	62 Finish	ned drilling	April	10,	, 19 <sup>.62</sup>
			OI	L OR GA	S SANDS C	OR ZONES			
NT_ 1	N	ione	4	(I	Denote gas by G	, from		_	
						, from			
No. 3,	from		to		No. 6	, from	to	)	
	. 43	<b>^</b> 31.@			NT WATER				
No. 1,	from*	one	to		No 3	fin a ma			
						, from			
No. 2,	from				No. 4	, from			
No. 2,	from					, from	to	)	
Size	Weight per foot	Threads per	to	CAS	No. 4	, fromRD	Perfo	rated	
Size casing	Weight per foot	Threads per inch	to	CAS	No. 4	, fromRD	Perfo	rated To—	
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount	No. 4 SING RECO	Cut and pulled from	Perform—	rated To-	Purpose
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount ton 227	No. 4 SING RECO	cut and pulled from	Perform—	To-	Purpose
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount	No. 4 SING RECO	Cut and pulled from	Perform—	rated To-	Purpose
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount	No. 4 SING RECO	cut and pulled from	Perform—	rated To-	Purpose
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount ton 227	No. 4 SING RECO	Cut and pulled from	Perform—	rated To-	Purpose
Size casing	Weight per foot	Threads per inch	Make Youngs	CAS Amount top 227	No. 4 SING RECO	cut and pulled from	Perform—	rated To-	Purpose
Size casing  Q-3/4	Weight per foot	Threads per inch	Make Youngs	CAS Amount top 227	No. 4 SING RECO	Cut and pulled from	Perform—	rated To-	Purpose
Size casing  Q-3/4	Weight per foot	Threads per inch	Make Youngs	CAS Amount top 227	No. 4 SING RECO Kind of shoe Fig.1.83 D CEMENT	Cut and pulled from	Perform—	rated To-	Purpose
Size casing  Q-3/4	Weight per foot	Threads per inch	Make Youngs	CAS Amount top 227	No. 4 SING RECO Kind of shoe Fig.1.83 D CEMENT	Cut and pulled from	Perform—	rated To-	Purpose
Size casing  Q-3/4	Weight per foot	Threads per inch	Make Youngs	CAS Amount ton 227 DING ANI	No. 4 SING RECO Kind of shoe Falco CEMENT Method used Disp.	, from  Cut and pulled from  ING RECORD  Mud gravity	Perform—	rated To-	Purpose
Size casing  D=3/4  Size casing	Weight per foot 40.5  Where so	Threads per inch  8  Num  179	Make Youngs MUDE	CAS Amount ton 227 DING ANI	No. 4 SING RECO Kind of shoe Relecc CEMENT Method used Disp.	, from  Cut and pulled from  ING RECORD  Mud gravity	Performance of the second seco	rated To-	Purpose

		SF	OOTING R	ECORD			
Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned or	ıt
			TOOLS US	ED	·		
Rotary tool	ls were used fr	om Surface fe	et to	feet,	, and from	feet to	fee
Cable tools	were used from	a fe			, and from	feet to	fee
	•	, 19	<b>DATES</b> Pu		lucino P <b>luc<i>c</i>e</b>	d and Abandone	eđi o
		the first 24 hours w		_			•
		and% sedimen					
		r 24 hours		ons gaso	•		
_		er sq. in		Ü	• ,	3	
-	; • • •	-	EMPLOYE				
-Bobby-Co	Weii	, Drill	er			••••••••••••••••••••••••••••••••••••••	
-James Ch	risley	, Drill	er				, Drille
TROIT .		I	RMATION F	RECORD		-0.	
FROM—	то-	- TOTAL F	DMT -	<del></del>	FORMAT	ION	
0	2705	2703	S	inle a	nd Send		
2705	6 <b>24</b> 8	3543	}   £	and an	d Shale		
pps			,				
n Green F							
"K" "H"	498						
$_{11}\Gamma_{12}$	557 589	(-717)					
			,				

[OVER]

16-43094-5

WELL NO. White River Unit #10 (41-4D)

WHITE RIVER UNIT

#### HISTORY OF WELL

March 14, 1962 Moved in Arapahoe Drilling Co. Rig #7 and rigged up same. Spudded at 5:00 P.M. 3-14-62. Drilled 15" hole to 232'.

March 15, 1962 Cemented 10-3/4" casing at 227.34° with 179 sacks regular cement containing 25 CaCl2.

March 16 - March 30, 1962 Drilled 9" hole to 5565'. Began cutting Core #1 at 5565'.

March 31, 1962 Cut Core #1 (5565-5618') Cut and recovered 53'. 0' oil effective.

April 1 - April 3, 1962 Drilled 9" hole to 5850'. Ran Schlumberger IES and Micrologs.

April 4 - April 7, 1962 Drilled 9" hole to 6248'. Ran Schlumberger IES and Micro logs.

April 8, 1962

DST #1 (5675-5686') 60 min ISI, 90 min flow, 60 min FSI. MOTS. Rec. 30' oil, 776' mud and water. Pressures: IH - 2815, ISI - 2450, IF - 90, FF - 355, FSI - 1975, FH - 2778. DST #2 (5616-5624') 60 min ISI, 60 min flow, 60 min FSI. MOTS. Rec. 10' mud. Pressures: IH - 2815, ISI - 1500, IF - 0, FF - 0, FSI - 1320, FH - 2705. DST #3 (5585-5596') 60 min ISI, 60 min flow, 60 min FSI. MOTS. Rec. 30' mud. Pressures: IH - 2842, ISI - 1445, IF - 15k FF - 35, FSI - 918, FH - 2842.

April 9, 1962 Conditioned hole. Started in hole with drill pipe.

April 10, 1962 Plugged and abandoned as follows: Interval 5925-5425' with 185 sacks Interval 2750-2650' with 50 sacks Interval 328-128' with 100 sacks

Installed proper abandonment marker.




Form 9-831 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4. Approval expires 12-31-60. Salt lake City

Land	Office	-	-	-	-	-	-		-	_	-	_	_	-	-	 -	-	-	-	 -	-	
								1	N	ě.	_	4		v		à		ė	k			



## UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Yermal, I		April 11	. 1992
Well No. is located	603 ft. fr	rom. N line an	d <b>???3</b> ft. f	rom E line of	sec.
18 1/4 18 1/4 4	<b>63</b> (Twp.)	(Range)	(Meridian)		
(34 Sec. and Sec. No.)		(Kange)	(Mendian)	Frak	
(Field)	miling in	nty or Subdivision)		(State or Territory)	

The elevation of the **annual above** sea level is **2477** ft.

#### **DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)


Confirming telephone conversation Locks - Reseall 4-10-62.

Subject well has been drilled to a T.D. of 6248' in the lower Green River. No commercial accommistions of hydrocarbons were encountered and it is planted to PMA wall as follows:

- 1. Bridge interval 5905-5425 with 185 can coment.
- Bridge interval 2750-2650 with 50 can commut.
- s across 10-3/4" shoe, interval 326-126 with 100 sax count.
- using head, plug to celler floor with coment, install 4"

	I underst	tand that	his plan	of work	must re	ceive app	roval i	n writing	by the Geo	logical Su	rvey befor	re opera	tions m	ay be co	mmen	ced.	
	Company	Calls		OLL	Cong	Mast		Divis	too, D	e Lynn	ted A	gent)	for	wil	by	Buleo	Pot.
	Company		وريوا									***********					
	Address		P. O.	<b>Des</b>	493												
		i	· ·									alamia. Altri	Maria de la companya	allower and the			
The state of the s				l, U					E	Зу		a, v		144 (A)			
									<b>1</b> 70	tle	24.			سماند(	A		
a de						<b></b>	<del></del>		11	tle							
<b>* U</b>	908. SE	-31 04	ecc.	SEC.		19. D		mal: (	Seed being	t Leas	MA-1	. 74	and the				

GPO 862040



#### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Omce		
Lease No	U-02510-	A
** *.	white Rive	<b>I</b>

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

					Vernel,	Vtab	June 20	1962
Well N	( <b>11-4</b> )	<b>B)</b> is l	ocated .	<b>643</b> ft. f	$\operatorname{rom}_{-} \left\{ egin{array}{c} N \\ egin{array}{c} \end{array} \right\} \operatorname{line} \operatorname{a}_{1}$	nd <b>993</b> ft. fr	om $\left\{egin{array}{c} \mathbf{E} \\ \mathbf{w} \end{array} ight\}$ line of s	ec
Lot 1	EE 1/4	NE 1/	4 4	88	222	MEJE		
	(1/2 Sec. and S	ec. No.)		(Twp.)	(Range)	(Meridian)		
Maite	River	Unit		U	inteh		Utah	
	(Field)	)		(Cot	inty or Subdivision)		(State or Territory)	
The ele	evation of	f the slee	y Basel rich-fles	<b>ing</b> r above sea	level is 2279.	<del>M</del> t.		
				DE'	TAILS OF WO	RK		

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

#### Plugged and Abandoned as follows:

- 1. Bridged interval 5925-5425' with 185 sacks commut.
  2. Bridged interval 2750-2650' with 50 sacks commut.
- Bridged interval 326-128' with 100 marks cament.
- Installed proper dry hole marker.

I understand that this plan of work must receive approval in writing the company beloo Petroleus Corporation, that	by the Geological S Des Look Co Cours Cor	Survey before operations may be commenced.
Address P. C. Box 455		Original Signed by R. W. PATTERSON
Vernal, Utah	Ву	distriction of the second distriction of the
·	Title	Field Superintendent
USGS, SLC-3; GAGCC, SLC-1; Beloo-1; RLG-1;	File-1	GPO 862040

### September 10, 1962

California Oil Company P. O. Box 455 Vernal, Utah

Attention: R. W. Patterson, Field Supt.

Re: Well No. White River #10
Sec. 4, T. 8 S, R. 22 E.,
Uintah County, Utah

#### Gentlemen:

As of yet we have not received the Well Log for the above mentioned well. We would appreciate it very much if you would send us this log in order that we may complete our file.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP: cnp